

Package ‘RPyGeo’

January 20, 2025

Type Package

Title ArcGIS Geoprocessing via Python

Version 1.0.0

Date 2018-11-12

Description Provides access to ArcGIS geoprocessing tools by building an interface between R and the ArcPy Python side-package via the reticulate package.

URL <https://github.com/fapola/RPyGeo>

BugReports <https://github.com/fapola/RPyGeo/issues>

License GPL-3

LazyData TRUE

Imports reticulate (>= 1.2), sf, raster, tools, stringr, utils,
rmarkdown, magrittr, stats, purrr

SystemRequirements Python (>= 2.6.0), ArcGIS (>= 10.0)

RoxygenNote 6.1.1

Suggests testthat, knitr, spData, rstudioapi, bookdown

VignetteBuilder knitr

NeedsCompilation no

Author Alexander Brenning [aut, cre],
Fabian Polakowski [aut],
Marc Becker [aut],
Jannes Muenchow [ctb] (<<https://orcid.org/0000-0001-7834-4717>>)

Maintainer Alexander Brenning <alexander.brenning@uni-jena.de>

Repository CRAN

Date/Publication 2018-11-14 11:00:11 UTC

Contents

RPyGeo-package	2
rpygeo_build_env	3
rpygeo_help	4
rpygeo_load	5
rpygeo_save	7
rpygeo_search	8
%rpygeo_-%	9
%rpygeo_+%	10
%rpygeo_/%	11
%rpygeo_*%	12

Index

14

RPyGeo-package

RPyGeo: ArcGIS Geoprocessing in R via Python

Description

Provide access to (virtually any) ArcGIS geoprocessing tool from within R by running Python geoprocessing without writing Python code or touching ArcGIS.

Details

The package utilizes the ArcPy Python site-package or the ArcGIS API in order to access ArcGIS functionality. The function `rpygeo_build_env` can be applied to generate an ArcPy or `arcgis` object.

Author(s)

Maintainer: Alexander Brenning <alexander.brenning@uni-jena.de>

Authors:

- Fabian Polakowski <fabian.polakowski@gmail.com>
- Marc Becker <marc.becker@uni-jena.de>

Other contributors:

- Jannes Muenchow (0000-0001-7834-4717) [contributor]

See Also

Useful links:

- <https://github.com/fapola/RPyGeo>
- Report bugs at <https://github.com/fapola/RPyGeo/issues>

Examples

```
# load the ArcPy module related to ArcGIS Pro (and save it as a R
# object called "arcpy_m") in R and also set the overwrite parameter
# to FALSE and add some extensions. Note that we do not have to set the path
# because the Python version is located in the default location
# (C:/Program Files/ArcGIS/Pro/bin/Python/envs/arcgispro-py3/) in this example.
## Not run: arcpy <- rpygeo_build_env(overwrite = TRUE,
#                                     extensions = c("3d", "Spatial", "na"),
#                                     pro = TRUE)

## End(Not run)
# Suppose we want to calculate the slope of a Digital Elevation Model.
# It is possible to get the description of any ArcPy function as a R list:
## Not run: py_function_docs("arcpy$Slope_3d")
# Now we can run our computation:
## Not run: arcpy$Slope_3d(arcpy$Slope_3d(in_raster = "dem.tif", out_raster = "slope.tif")
```

rpygeo_build_env *Initialize ArcPy site-package in R*

Description

Initialises the Python ArcPy site-package in R via the `reticulate` package. Additionally environment settings and extensions are configured.

Usage

```
rpygeo_build_env(path = NULL, overwrite = TRUE, extensions = NULL,
                  x64 = FALSE, pro = FALSE, arcgisAPI = FALSE, workspace = NULL,
                  scratch_workspace = NULL)
```

Arguments

<code>path</code>	Full path to folder containing Python version which is linked to the ArcPy site-package. If left empty, the function looks for <code>python.exe</code> in the most likely location (<code>C:/Python27/</code>). It is also possible to provide a path to the ArcGIS API for Python here. In order to do so you need to provide the path to the <code>python anaconda</code> library where the <code>arcgis</code> package is installed. Additionally <code>arcgisAPI</code> must be set to true.
<code>overwrite</code>	If <code>TRUE</code> (default), existing ArcGIS datasets can be overwritten (does not work while using ArcGIS API for Python).
<code>extensions</code>	Optional character vector listing ArcGIS extension that should be enabled (does not work while using ArcGIS API for Python)
<code>x64</code>	Logical (default: <code>FALSE</code>). Determines if path search should look for 64 bit Python ArcPy version in default folder (<code>C:/Python27</code>)
<code>pro</code>	Logical (default: <code>FALSE</code>). If set to <code>TRUE</code> , <code>rpygeo_build_env</code> tries to find Python version to use in the default ArcGIS Pro location (<code>C:/Program Files/ArcGIS/Pro/bin/Python/envs/a</code>

<code>arcgisAPI</code>	Logical (default: FALSE). Must be set to TRUE in order to use the ArcGIS API. This is the only option to work with the RPyGeo Package under a linux operation system.
<code>workspace</code>	Path of ArcGIS workspace in which to perform the geoprocessing (does not work while using ArcGIS API for Python).
<code>scratch_workspace</code>	Path to ArcGIS scratch workspace in which to store temporary files (does not work while using ArcGIS API for Python). If NULL a folder named scratch is created inside the workspace folder or on the same directory level as the workspace file geodatabase.

Value

Returns ArcPy or ArcGIS modules in R

Author(s)

Fabian Polakowski, Marc Becker

Examples

```
## Not run:
# Load ArcPy side-package of ArcGIS Pro with 3D and Spatial Analysis extension.
# Set environment setting 'overwrite' to TRUE.
# Note that no path parameter is necessary because Python is located in the
# default location.
arcpy <- rpygeo_build_env(overwrite = TRUE,
                           extensions = c("3d", "Spatial"),
                           pro = TRUE)
## End(Not run)

# Load the ArcPy module when your Python version is located in a different
# folder
```

Description

This function opens the help file for ArcPy function in viewer panel or if not available in the browser.

Usage

```
rpygeo_help(arcpy_function)
```

Arguments

`arcpy_function` ArcPy module with function or class

Author(s)

Marc Becker

Examples

```
## Not run:  
# Load the ArcPy module and build environment  
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = tempdir())  
  
# Open help file  
rpygeo_help(arcpy$Slope_3d)  
  
## End(Not run)
```

rpygeo_load

Load output of ArcPy functions into R session

Description

This function loads the output of an ArcPy function into the R session. Raster files are loaded as raster objects and vector files as sf objects.

Usage

```
rpygeo_load(data)
```

Arguments

data	reticulate object or filename of the ArcPy function output
------	--

Details

Currently files and datasets stored in file geodatabases are supported.

Supported file formats:

- Tagged Image File Format (.tif)
- Erdas Imagine Images (.img)
- Esri Arc/Info Binary Grid (.adf)
- Esri ASCII Raster (.asc)
- Esri Shapefiles (.shp)

Supported datasets:

- Feature Class
- Raster Dataset

Esri has not released an API for raster datasets in file geodatabases. *rpygeo_load* converts a raster dataset to a temporary ASCII raster first and then loads it into the R session. Be aware that this can take a long time for large raster datasets.

This function can be used with the `%>%` operator from the `dplyr` package. The `%>%` operator forwards the `reticulate` object from the ArcPy function to *rpygeo_load* (s. Example 1). If used without the `%>%` operator an `reticulate` object can be specified for the `data` parameter (s. Example 2). It is also possible to use the filename of the ArcPy function output (s. Example 3). For Arc/Info Binary Grids the `data` parameter is just the name of the directory, which contains the `.adf` files.

Value

`raster` or `sf` object

Author(s)

Marc Becker

Examples

```
## Not run:
# Load packages
library(RPyGeo)
library(magrittr)
library(RQGIS)
library(spData)

# Get data
data(dem, package = "RQGIS")
data(nz, package = "spData")

# Write data to disk
writeRaster(dem, file.path(tempdir(), "dem.tif"), format = "GTiff")
st_write(nz, file.path(tempdir(), "nz.shp"))

# Load the ArcPy module and build environment
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = tempdir())

# Create a slope raster and load it into the R session (Example 1)
slope <-
  arcpy$Slope_3d(in_raster = "dem.tif", out_raster = "slope.tif") %>%
  rpygeo_load()

# Create a aspect raster and load it into the R session (Example 2)
ras_aspect <- arcpy$sa$Aspect(in_raster = "dem.tif")
rpygeo_load(ras_aspect)

# Convert elevation raster to polygon shapefile and load it into R session (Example 3)
arcpy$RasterToPolygon_conversion("dem.tif", "elev.shp")
rpygeo_load("elev.shp")

## End(Not run)
```

rpygeo_save	<i>Save temporary raster to workspace</i>
-------------	---

Description

This function saves temporary a raster as permanent raster to the workspace.

Usage

```
rpygeo_save(data, filename)
```

Arguments

data	reticulate object or full path of the ArcPy function output
filename	Filename with extension or without extension if the workspace is file geodatabase

Details

Some ArcPy functions have no parameter to specify an output raster. Instead they return a raster object and a temporary raster is saved to the scratch workspace. This functions writes the temporary raster as a permanent raster to the workspace.

How the file is written depends on the workspace and scratch workspace environment settings.

- Workspace and scratch workspace are directories: Raster is loaded with the `raster` package and is written to workspace directory. The file format is inferred from the file extension in the `filename` parameter.
- Workspace and scratch workspace are file geodatabases: Raster is copied to workspace file geodatabase. No file extension necessary for the `filename` parameter.
- Workspace is file geodatabase and scratch workspace is directory: Raster is copied to workspace file geodatabase. No file extension necessary for the `filename` parameter.
- Workspace is directory and scratch workspace is file geodatabase: Raster is exported to workspace directory. The `filename` parameter is ignored due to restrictions in `arcpy.RasterToOtherFormat_conversion` function. If the automatically generated filename already exists, a number is appended to the end of the filename.

Author(s)

Marc Becker

Examples

```
## Not run:  
# Load packages  
library(RPyGeo)  
library(RQGIS)  
library(magrittr)
```

```

# Get data
data(dem, package = "RQGIS")

# Load the ArcPy module and build environment
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = tempdir())

# Write raster to workspace directory
writeRaster(dem, file.path(tempdir(), "dem.tif"), format = "GTiff")

# Calculate temporary aspect file and save to workspace
arcpy$sa$Aspect(in_raster = "dem.tif") %>%
  rpygeo_save("aspect.tif")

## End(Not run)

```

rpygeo_search*Search for ArcPy functions and classes***Description**

Search for ArcPy functions and classes with a character string or regular expression.

Usage

```
rpygeo_search(search_term = NULL)
```

Arguments

search_term Search term. Regular expressions are possible.

Details

The list members are referenced by the ArcPy module names. Each member contains a character vector of matching ArcPy functions and classes. Except for the main module, functions and classes have to be accessed by their module names (s. examples).

Value

Named list of character vectors of matching ArcPy functions and classes

Author(s)

Marc Becker

Examples

```

## Not run:
# Load packages
library(RPyGeo)
library(magrittr)
library(RQGIS)

# Get data
data(dem, package = "RQGIS")

# Write data to disk
writeRaster(dem, file.path(tempdir(), "dem.tif"), format = "GTiff")

# Load the ArcPy module and build environment
arcpy <- rpygeo_build_env(overwrite = TRUE,
                           workspace = tempdir(),
                           extensions = "Spatial")

# Search for ArcPy functions, which contain the term slope
rpygeo_search("slope")

#> $toolbox
#> [1] "Slope_3d"           "SurfaceSlope_3d"
#>
#> $main
#> [1] "Slope_3d"           "SurfaceSlope_3d"
#>
#> $sa
#> [1] "Slope"
#>
#> $ddd
#> [1] "Slope"              "SurfaceSlope"

# Run function from sa module
arcpy$sa$Slope(in_raster="dem.tif")

# Run function from main module
arcpy$Slope_3d(in_raster="dem.tif")

## End(Not run)

```

Description

Subtraction operator for map algebra. Spatial Analyst extension is required for map algebra.

Usage

```
raster_1 %rpygeo_-% raster_2
```

Arguments

raster_1	raster dataset or numeric
raster_2	raster dataset or numeric

Value

reticulate object

Author(s)

Marc Becker

Examples

```
## Not run:
# Load the ArcPy module and build environment
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = "C:/workspace")

# Write raster to workspace directory
writeRater(elev, "C:/workspace/elev.tif", extensions = "Spatial")

# Create raster object
ras <- arcpy$sa$Raster("elev.tif")

# Subtract raster from itself
ras %rpygeo_+% ras %>%
  rpygeo_load()

## End(Not run)
```

%rpygeo_+%

Addition operator

Description

Addition operator for map algebra. Spatial Analyst extension is required for map algebra.

Usage

```
raster_1 %rpygeo_+% raster_2
```

Arguments

raster_1	raster dataset or numeric
raster_2	raster dataset or numeric

Value

reticulate object

Author(s)

Marc Becker

Examples

```
## Not run:
# Load the ArcPy module and build environment
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = "C:/workspace")

# Write raster to workspace directory
writeRaster(elev, "C:/workspace/elev.tif", extensions = "Spatial")

# Create raster object
ras <- arcpy$sa$Raster("elev.tif")

# Add raster to itself
ras %rpygeo_+% ras %>%
  rpygeo_load()

## End(Not run)
```

Description

Division operator for map algebra. Spatial Analyst extension is required for map algebra.

Usage

```
raster_1 %rpygeo_/% raster_2
```

Arguments

raster_1	raster dataset or numeric
raster_2	raster dataset or numeric

Value

reticulate object

Author(s)

Marc Becker

Examples

```
## Not run:
# Load the ArcPy module and build environment
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = "C:/workspace")

# Write raster to workspace directory
writeRaster(elev, "C:/workspace/elev.tif", extensions = "Spatial")

# Create raster object
ras <- arcpy$sa$Raster("elev.tif")

# Divide raster by itself
ras %rpygeo_+% ras %>%
  rpygeo_load()

## End(Not run)
```

%rpygeo_*%

Multiplication operator

Description

Multiplication operator for map algebra. Spatial Analyst extension is required for map algebra.

Usage

```
raster_1 %rpygeo_*% raster_2
```

Arguments

raster_1	raster dataset or numeric
raster_2	raster dataset or numeric

Value

reticulate object

Author(s)

Marc Becker

Examples

```
## Not run:
# Load the ArcPy module and build environment
arcpy <- arcpy_build_env(overwrite = TRUE, workspace = "C:/workspace")

# Write raster to workspace directory
writeRaster(elev, "C:/workspace/elev.tif", extensions = "Spatial")
```

```
%rpygeo_*%
```

13

```
# Create raster object
ras <- arcpy$sa$Raster("elev.tif")

# Multiply raster to itself
ras %rpygeo_+% ras %>%
  rpygeo_load()

## End(Not run)
```

Index

%rpygeo_*, 12
%rpygeo_+%, 10
%rpygeo_-%, 9
%rpygeo_/, 11

RPyGeo (RPyGeo-package), 2
RPyGeo-package, 2
rpygeo_build_env, 2, 3
rpygeo_help, 4
rpygeo_load, 5
rpygeo_save, 7
rpygeo_search, 8