

# Package ‘freecurrencyapi’

May 10, 2023

**Title** Client for the 'freecurrencyapi.com' Currency Conversion API

**Version** 0.1.0

**Description** An R client for the 'freecurrencyapi.com' currency conversion API. The API requires registration of an API key. You can find the full API documentation at <<https://freecurrencyapi.com/docs>> .

**License** MIT + file LICENSE

**Encoding** UTF-8

**URL** <https://freecurrencyapi.com>, <https://freecurrencyapi.com/docs>

**RoxigenNote** 7.2.3

**Imports** httr, jsonlite

**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)

**Config/testthat.edition** 3

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Dominik Kukacka [aut, cre]

**Maintainer** Dominik Kukacka <[dominik@everapi.com](mailto:dominik@everapi.com)>

**Repository** CRAN

**Date/Publication** 2023-05-10 13:40:02 UTC

## R topics documented:

freecurrencyapi_api_key . . . . .	2
get_api_status . . . . .	2
get_historical_exchange_rates . . . . .	3
get_latest_exchange_rates . . . . .	3
get_supported_currencies . . . . .	4

**Index**

5

---

**freecurrencyapi\_api\_key**

*Freecurrencyapi API Key*

---

**Description**

[freecurrencyapi.com](https://freecurrencyapi.com) requires authentication via an API key. For this package, the API key is saved as a environmental variable. In interactive mode, using `freecurrencyapi_api_key` will require you to enter an API key. Alternatively, you can also use `Sys.setenv(FREECURRENCYAPI_API_KEY = <key>)` to set the API key manually.

**Usage**

```
freecurrencyapi_api_key(force = FALSE)
```

**Arguments**

<code>force</code>	If TRUE, resets the API key & requires the user to provide a new API key. If FALSE and an API key already exists, the key will be printed to the console. If no key exists, you will be required to enter a key. <code>force</code> . Defaults to FALSE.
--------------------	--

**Value**

Returns the set API key that has been stored as an enviroment variable.

---

**get\_api\_status**

*Get the current status of the API.*

---

**Description**

Get the current status of the API.

**Usage**

```
get_api_status()
```

**Value**

Returns your current quota. Requests to this endpoint do not count against your quota or rate limit.

---

**get\_historical\_exchange\_rates**

*Get historical exchange rates for a specific date for a single or multiple currencies.*

---

**Description**

Get historical exchange rates for a specific date for a single or multiple currencies.

**Usage**

```
get_historical_exchange_rates(date, base_currency = NULL, currencies = NULL)
```

**Arguments**

date	(required) Date to retrieve historical rates from (format: 2021-12-31)
base_currency	The base currency for the conversion (e.g., "USD")
currencies	A list of comma separated currency codes which you want to get (EUR,USD,CAD) By default all available currencies will be shown

**Value**

Returns exchange rates for a given time range. Generally, we provide data going back to 1999.

---

---

**get\_latest\_exchange\_rates**

*Get exchange rate from the Freecurrencyapi.com API*

---

**Description**

Get exchange rate from the Freecurrencyapi.com API

**Usage**

```
get_latest_exchange_rates(base_currency = NULL)
```

**Arguments**

base_currency	The base currency for the conversion (e.g., "USD")
---------------	--

**Value**

Returns the latest currency exchange rates.

---

**get\_supported\_currencies**

*Get the current status of the API.*

---

**Description**

Get the current status of the API.

**Usage**

```
get_supported_currencies(currencies = NULL)
```

**Arguments**

currencies	(required) A list of comma seperated currency codes which you want to get (EUR,USD,CAD) By default all available currencies will be shown.
------------	---

**Value**

Returns all our supported currencies.

# Index

freecurrencyapi\_api\_key, [2](#)  
get\_api\_status, [2](#)  
get\_historical\_exchange\_rates, [3](#)  
get\_latest\_exchange\_rates, [3](#)  
get\_supported\_currencies, [4](#)