

# Package ‘runes’

October 14, 2022

**Title** Convert Strings to Elder Futhark Runes

**Version** 0.1.0

**Description** Convert a string of text characters to Elder Futhark Runes <[https://en.wikipedia.org/wiki/Elder\\_Futhark](https://en.wikipedia.org/wiki/Elder_Futhark)>.

**BugReports** <https://github.com/tallguyjenks/runes>

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Suggests** testthat (>= 2.1.0)

**RoxygenNote** 7.0.2

**NeedsCompilation** no

**Author** Bryan Jenks [aut, cre] (<<https://orcid.org/0000-0002-9604-3069>>)

**Maintainer** Bryan Jenks <bryanjenks@protonmail.com>

**Repository** CRAN

**Date/Publication** 2020-05-29 05:20:02 UTC

## R topics documented:

runes . . . . .	2
runes_table . . . . .	3
<b>Index</b>	<b>4</b>

---

runes	<i>runes()</i>
-------	----------------

---

### Description

`runes()` Converts alpha characters a-z/A-Z to runes. You can use this in console output, scripts, RMarkdown documents, anything with Unicode/UTF-8 support.

### Usage

```
runes(x, futhark = "elder", branch = NA, hide = FALSE)
```

### Arguments

<code>x</code>	a character string
<code>futhark</code>	default is "elder" for elder futhark runes, the other option is "younger" futhark as a string argument
<code>branch</code>	default is "NA" but when "younger" futhark is chosen you must specify a branch, either "short" or "long" as a string argument
<code>hide</code>	boolean option to hide non translated English alphabet characters from output. Default option hides nothing from user

### Value

If input is a single character string then output will be a character string with unicode Elder Futhark runes replacing the 'A-Z' characters except 'q' and 'x'

### Examples

```
cat(runes("Your Results Are: "), 7 * 49, "\n")

runes("hello world")

runes(x = "hello world", futhark = "elder", hide = TRUE)

runes(x = "hello world", futhark = "younger", branch = "long", hide = TRUE)

runes(x = "hello world", futhark = "younger", branch = "short", hide = FALSE)
```

---

runes_table	<i>runes_table()</i>
-------------	----------------------

---

**Description**

runes\_table() returns a data.frame with 3 variable text columns.AX

**Usage**

```
runes_table(futhark = "elder", branch = NA)
```

**Arguments**

futhark	which futhark set you'd like, defaults to "elder" and the argument must be a string
branch	if futhark is "younger" then you must also choose whether you would like short or long branch younger futhark

**Details**

The data.frame returned by this function returns 3 columns

1. The unicode sequence that represents the rune character.
2. The English a-z characters of the alphabet
3. The rune itself showing how it would also be displayed.

**Examples**

```
runes_table()
```

# Index

runes, [2](#)  
runes\_table, [3](#)